E. Garfield, Kane, Washington, & Iron Co.
January 1, 2007

Snowpacks in this region are below normal at 80% of average, which is 198% of last year. Individual sites range from 60% to 150% of average. Precipitation was above normal during December at 118% of average, bringing the seasonal accumulation (Oct-Dec) to 117% of normal. Soil moisture estimates in runoff producing areas are at 33% of saturation in the upper 2 feet of soil compared to 27% last year. Forecast streamflows range from 70% to 75% of average. Reservoir storage is at 76% of capacity, 10% less than last year. The Surface Water Supply Index is at 67%, indicating slightly above normal water availability.







E. GARFIELD, KANE, WASHINGTON, & IRON Co.
Streamflow Forecasts - January 1, 2007

Forecast Point	Forecast Period	<<====== Drier ====== Future Conditions ======= Wetter =====>>					
		========== Chance Of Exceeding * ==========					
		90% (1000AF)	70% (1000AF)	50% (1000AF)	50% (% AVG.)	30% (1000AF)	10% (1000AF)	30-Yr Avg. (1000AF)
Lake Powell Inflow (2)	APR-JUL	3600	5740	7200	91	8660	10800	7930
Virgin River at Virgin	APR-JUL	15.3	33	48	75	66	99	64
Virgin River near Hurricane	APR-JUL	10.0	31	52	75	78	127	69
Santa Clara River nr Pine Valley	APR-JUL	0.8	2.4	4.1	75	6.2	10.0	5.5
Coal Creek nr Cedar City	APR-JUL	6.7	11.7	18.0	93	21	29	19.3

E. GARFIELD, KANE, WASHINGTON, & IRON Co.
Reservoir Storage (1000 AF) - End of December

Reservoir	Usable Capacity	*** Usable Storage *** This Year	Last Year	Avg
GUNLOCK	10.4	9.0	10.8	5.7
LAKE POWELL	24322.0	12103.0	11604.0	---
QUAIL CREEK	40.0	28.0	34.3	23.9
UPPER ENTERPRISE	10.0	4.0	9.0	---
LOWER ENTERPRISE	2.6	2.3	0.0	26.7

E. GARFIELD, KANE, WASHINGTON, & IRON Co.
Watershed Snowpack Analysis - January 1, 2007

Watershed	Number of Data Sites	This Year as % of Last Yr	This Year as % of Average
VIRGIN RIVER	5	182	80
PAROWAN	2	134	73
ENTERPRISE TO NEW HARMONY	2	183	67
COAL CREEK	2	149	75
ESCALANTE RIVER	2	215	87
E. GARFIELD, KANE, WASHIN	9	186	80

* 90%, 70%, 50%, 30%, and 10% chances of exceeding are the probabilities that the actual volume will exceed the volumes in the table.

The average is computed for the 1971-2000 base period.

(1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
(2) - The value is natural volume - actual volume may be affected by upstream water management.